MASERATI

GHIBLI SS

MASERATI


17,7"
24,8"
57"
15,7"
33,2"
36,6"
9"
3,9"


MASERATI


MASERATI


MASERATI



MASERATI

GHIBLI SS

GRAN TURISMO 2 seats

BODY: Coupé

Overall lenght	feet 15,2	- mm. 4690
Overall width	feet 5,77	- mm. 1790
Overall height	feet 3,6	- mm. 1160

ENGINE: 8 cylinders in V formation - 90°

Bore	inches 3,7	- mm. 93,9
Stroke	inches 3,5	- mm. 89
Cubic capacity	cu-in 3	- cc. 4930

Hemispherical combustion chambers - 4 overhead chain driven camshafts - Direct valve control - 4 twin choke carburettors - Ignition system with transistor - Cooling system with radiator and centrifugal water pump - Forced lubrication - Total draining. Compression ratio . . . . . 8,5 : 1

BHP . . . . . 335 at 5500 R.P.M.

CLUTCH: Single dry plate with flexible coupling and hydraulic control.

GEAR-BOX: Five synchronized speed and reverse.

CHASSIS: Integral body chassis construction.

Wheel base	feet 8,3	- mm. 2550
Ground level track	front 4,7	- mm. 1440
	rear 4,6	- mm. 1420

SUSPENSION: Front: independent, coil spring, stabilizing torsion bar and telescopic dampers - Rear: stabilizing torsion bar, telescopic dampers, plate springs and radial rod.

BRAKES: Ventilated disc with servo unit in dual circuit.

FUEL TANKS 2 separate

Total capacity . . . . . USA. gall. 26,5

Normal consumption . . . . m.p.g. US. 16 - 15 m.p.g.

Total weight . . . . . lbs. 3640

LARGE LUGGAGE COMPARTMENT . . . cubic feet 24

WHEELS: Magnesium-alloy . . . . . 7½ × 15"

TIRES . . . . . VR-70 - 215 × 15"

MAX. SPEED . . . . . M.P.H. 174

STANDARD: Adjustable steering wheel, leather upholstery, steering lock device, tinted windows, electric windows, electric defroster for rear glass, reclining seats, head rests, clock, air conditioning.

OPTIONAL: Automatic transmission, power steering, radio, luggage cover, wheels dial aluminium, etc.

The above data are only indicative.



MASERATI
GHIBLI ss

OFFICINE A. MASERATI S.p.A.
VIA CIRO MENOTTI 322
TEL. (059) 23.01.01/2/3 TELEX 51248
MODENA (ITALIA)

stampa: renografica bologna